Data sheet







UHF antenna

SPEED+ 5G series

art. 21-378B **SPEED+ 70 5G BIANCA**





Designed to maximize the reception of DTT signals in the range E21÷E48 attenuating the LTE 700 MHz band without preventing the proper functioning of channel E48.

High-performance dipole, meticulously designed to maximize performance, with innovative and practical design at the same time, with openable lid to ensure maximum weather resistance without sacrificing a smooth insertion of the F connector.

The elements and their support are reinforced. This characteristic makes the antenna particularly sturdy. Equipped with auxiliary cradle.



Characteristics

- High gain
- Quick installation: elements and mast clamp pre-assembled on the cradle
- Excellent value for Front-to-back Ratio
- · Fully silver anodized
 - Elements and cradles are reinforced
- Dipole with special attack for the insertion of the waterproof rubber cap







Code		21-378B	
Item		SPEED+ 70 5G BIANCA	
Color		white RAL 7035	
Channels		E21÷E48	
Elements	no.	71	
Maximum gain	dBi	19,2	
Front-to-back Ratio	dB	> 25	
Beamwidth (-3 dB) H/V	۰	26 / 34	
Wind load @ 129 Km / h	N	160	
VSWR		< 1,2	
Impedance	Ω	75	
Dimensions (LxWxH)	mm	2507x535x690	
Cradle	mm	20x20	
Second cradle		20x20	
Reflector		solid aluminium rod with high mechanical sturdiness	
Dipole connector		F-type	
Mast clamp for masts max	mm	Ø 60	
Horizontal and vertical polarization with tilt adjustment		included	

Packaging


Quantity (pcs)	Dimensions LxWxH (mm)	Weight (Kg)
1	1379x120x440	4





Directivity

present measurements made in the horizontal plane at the center of the band.



Rev. 0 05.2022

