Data sheet







UHF antenna with three cradles

TRE+ Z HD series

art. 21-461B TRE+ Z HD BIANCA





Designed to maximize the reception of DTT signals in the range E21÷E60 attenuating the LTE 800 MHz band without preventing the proper functioning of channel E60.

New high-performance dipole, meticulously designed to maximize performance, with innovative and practical design at the same time, with openable lid to ensure maximum weather resistance without sacrificing a smooth insertion of the F connector.



The three cradles structure and the mechanism of deployment ensure high efficiency, high gain and a quick and easy installation, being pre-assembled type antennas.



Characteristics

- · High efficiency and high gain
- Quick and easy installation: pre-assembled antennas with mechanism of deployment
- Excellent value for Front-to-back Ratio
- · Three cradles structure silver anodized
- Aluminium alloy 6101 rod elements
- Dipole with special attack for the insertion of the waterproof rubber cap






Code Item		21-461B TRE+ Z HD BIANCA	
Channels		E21÷E60	
Maximum gain	dBi	15,2	
Front-to-back Ratio	dB	> 28	
Beamwidth (-3 dB) H/V	0	40 / 46	
Wind load @ 129 Km / h	N	97	
VSWR		< 1,2	
Impedance	Ω	75	
Dimensions (LxWxH)	mm	864x535x470	
Main cradles	mm 20x20		
Secondary cradles mm		12x18	
Reflector		solid aluminium rod with high mechanical sturdiness	
Dipole connector		F-type	
Mast clamp for masts max mm Horizontal and vertical polarization with tilt adjustment		Ø 60 included	


Packaging

Package	No. pieces	Dimensions LxWxH (mm)	Weight (Kg)
single pack	1	910x125x185	2,4
multi-pack	6	935x365x590	15.6



Directivity

The patterns shown represent measurements made in the horizontal plane at the center of the band.



Rev. 0 10.2014

