



Logarithmic antenna

LF series

art. 21-344
LF3

Ideal for the reception of DTT signals.

Completely pre-assembled.

Back connection F-type to make easier the cable fixing.

Realized with rod elements (\varnothing 4 mm) and anticorodal double cradle (14x14 mm).

Characteristics

- Completely pre-assembled
- Rod elements \varnothing 4 mm
- Anticorodal double cradle
- Pre-assembled mast clamp
- Back connection F-type




Code	21-344	
Item	LF 3	
Color	WHITE RAL 7035	
Channels	E05÷E12	
Elements	no.	6
Maximum gain	dBi	11
Front-to-back Ratio	dB	> 22
Beamwidth (-3 dB) H/V	°	44 / 52
Wind load @ 129 Km / h	N	32
VSWR		< 1,5
Impedance	Ω	75
Dimensions (LxW)	mm	1019x844
Double cradle	mm	14x14
Dipole connector		F-type
Mast clamp for masts max	mm	\varnothing 60
Horizontal and vertical polarization with tilt adjustment		included

Packaging

Quantity (pcs)	Dimensions LxWxH (mm)	Unit weight (Kg)	Total weight (Kg)
15	1110x890x470	1	17,6

Gain



Directivity

The patterns shown represent measurements made in the horizontal plane at the center of the band.

