Data sheet







UHF antenna with three cradles

TRE+ 5G series


art. 21-462B TRE+ 5G BIANCA





Designed to maximize the reception of DTT signals in the range E21÷E48 attenuating the LTE 700 MHz band without preventing the proper functioning of channel E48.

New high-performance dipole, meticulously designed to maximize performance, with innovative and practical design at the same time, with openable lid to ensure maximum weather resistance without sacrificing a smooth insertion of the F connector.





Characteristics

- · High efficiency and high gain
- Quick and easy installation: pre-assembled antennas with mechanism of deployment
- Excellent value for Front-to-back Ratio
- · Three cradles structure silver anodized
- Aluminium alloy 6101 rod elements
- Dipole with special attack for the insertion of the waterproof rubber cap






Code		21-462B	
Item		TRE+ 5G BIANCA	
Color		white RAL 7035	
Channels		E21÷E48	
Maximum gain	dBi	15,2	
Front-to-back Ratio	dB	> 25	
Beamwidth (-3 dB) H/V	٥	44 / 50	
Wind load @ 129 Km / h	N	97	
VSWR		< 1,2	
Impedance	Ω	75	
Dimensions (LxWxH)	mm	864x535x510	
Main cradles	mm	20x20	
Secondary cradles	mm	12x18	
Reflector		solid aluminium rod with high mechanical sturdiness	
Dipole connector		F-type	
Mast clamp for masts max	mm	Ø 60	
Horizontal and vertical polarization with tilt adjustment		included	


Packaging

Package	No. pieces	Dimensions LxWxH (mm)	Weight (Kg)	
single pack	1	915x125x185	2,2	
multi-pack	6	930x360x60	15.5	



Directivity

The patterns shown represent measurements made in the horizontal plane at the center of the band.



Rev. 0 05.2022

